

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

58252
145

5

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES
Cotton Quality Report



CLASSINGS FROM THE 2000 CROP

VOL. 74, NO. 6 – Final Monthly (by State)

April 16, 2001

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE							
		26 & -	28	29	30	31	32	33	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	29	636	3,952	16,181	70,551	188,858	326,201	391,466
	3	23	587	3,978	14,178	36,711	86,698	159,472	213,905
	4	4	146	923	3,522	7,442	13,358	19,672	22,274
	5	-	12	136	419	944	1,701	1,964	1,887
	6	-	-	14	16	72	108	161	169
	7	-	-	1	1	2	-	9	15
	TOTAL---	56	1,381	9,004	34,317	115,722	290,723	507,479	629,716
31	1-2	11	172	946	2,995	18,218	83,677	201,886	280,639
	3	49	831	4,297	13,275	42,370	180,935	535,901	898,669
	4	63	593	2,675	8,120	19,230	48,562	126,579	215,087
	5	2	89	495	1,551	3,804	7,620	12,900	17,111
	6	-	4	39	135	312	773	1,324	1,622
	7	-	-	-	6	9	50	92	97
	TOTAL---	125	1,689	8,452	26,082	83,943	321,617	878,682	1,413,225
41	1-2	-	19	144	740	7,126	38,461	99,388	142,989
	3	8	210	1,636	7,151	31,733	144,083	446,188	823,287
	4	10	209	1,735	8,825	30,231	84,274	184,177	300,370
	5	-	57	693	3,858	12,869	30,875	45,013	44,663
	6	3	11	97	483	1,848	5,164	7,419	7,168
	7	-	-	10	18	112	363	398	418
	TOTAL---	21	506	4,315	21,075	83,919	303,220	782,583	1,318,895
51	1-2	-	-	8	69	676	3,041	7,860	10,446
	3	1	5	37	241	2,516	15,482	50,511	92,275
	4	-	3	25	197	1,380	8,723	25,465	46,571
	5	-	3	26	95	639	3,046	7,352	9,853
	6	-	-	4	37	189	835	1,944	2,649
	7	-	-	2	2	37	77	185	380
	TOTAL---	1	11	102	641	5,437	31,204	93,317	162,174
61	1-2	-	-	1	10	24	97	201	362
	3	-	1	1	13	126	547	1,015	1,367
	4	-	-	2	4	83	384	810	1,022
	5	-	-	1	2	8	109	234	345
	6	-	-	-	-	7	26	57	102
	7	-	-	-	-	4	1	10	28
	TOTAL---	-	1	5	29	252	1,164	2,327	3,226
71	1-2	-	-	2	-	6	22	26	16
	3	-	1	-	-	9	43	41	33
	4	-	1	2	-	12	22	29	16
	5	-	-	-	-	3	2	9	7
	6	-	-	-	-	-	1	1	2
	7	-	-	-	-	-	-	-	-
	TOTAL---	-	2	4	-	30	90	106	74
12 & 22	1-2	36	571	1,884	5,661	14,829	28,428	34,947	29,930
	3	75	745	2,701	6,473	12,751	20,230	26,402	25,611
	4	18	178	570	1,461	2,745	3,272	4,512	5,035
	5	-	18	97	293	413	474	433	387
	6	-	1	3	19	28	54	38	32
	7	-	-	-	-	-	-	3	2
	TOTAL---	129	1,513	5,255	13,907	30,766	52,458	66,335	60,997
32	1-2	56	640	2,407	4,725	10,307	20,763	28,677	27,970
	3	327	3,279	12,487	24,337	39,756	61,073	78,306	77,927
	4	174	1,542	5,770	11,745	16,951	21,191	23,293	23,150
	5	20	193	675	1,483	2,447	3,378	3,114	2,312
	6	2	5	44	98	145	313	326	254
	7	-	-	3	3	3	17	22	36
	TOTAL---	579	5,659	21,386	42,391	69,609	106,735	133,738	131,649
42	1-2	18	192	740	1,784	6,475	18,466	31,036	32,034
	3	119	1,844	8,519	23,872	52,359	109,493	181,304	206,037
	4	98	1,794	9,716	26,644	49,416	78,430	102,940	104,220
	5	35	403	2,408	6,710	12,872	19,572	20,429	13,747
	6	13	55	242	551	1,325	2,019	2,231	1,648
	7	3	1	34	31	71	87	116	90
	TOTAL---	286	4,289	21,659	59,592	122,518	228,067	338,056	357,776
52	1-2	1	47	99	308	1,022	2,900	5,255	5,632
	3	31	378	838	1,904	5,634	18,953	38,029	41,845
	4	14	190	935	2,398	4,753	11,651	25,594	30,778
	5	13	77	348	1,210	2,663	4,579	6,828	6,943
	6	2	12	80	341	780	1,370	1,736	1,597
	7	-	1	5	39	53	153	289	394
	TOTAL---	61	705	2,305	6,200	14,905	39,606	77,731	87,189

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	1	9	63	109	233	495	870	1,780
	3	1	15	35	103	265	676	979	1,055	3,129
	4	-	5	18	79	126	438	804	728	2,198
	5	1	1	6	7	44	140	321	325	845
	6	1	-	-	3	8	41	78	153	284
	7	-	-	-	-	5	16	5	45	71
TOTAL---		3	22	68	255	557	1,544	2,682	3,176	8,307
13 & 23	1-2	14	90	195	490	848	1,252	1,377	780	5,046
	3	12	58	343	698	1,013	1,380	1,401	1,064	5,969
	4	-	9	64	180	232	283	302	358	1,428
	5	-	-	6	34	37	32	38	49	196
	6	-	-	2	3	3	1	1	7	17
	7	-	-	-	-	-	-	-	-	-
TOTAL---		26	157	610	1,405	2,133	2,948	3,119	2,258	12,656
33	1-2	22	163	356	545	668	820	842	828	4,244
	3	83	522	1,493	2,603	3,032	3,040	2,721	2,543	16,037
	4	24	147	499	887	1,064	1,194	1,125	1,302	6,242
	5	4	17	74	108	154	207	219	322	1,105
	6	-	-	5	13	21	27	10	41	117
	7	-	-	1	3	1	11	4	2	22
TOTAL---		133	849	2,428	4,159	4,940	5,299	4,921	5,038	27,767
43	1-2	47	168	454	825	1,068	1,026	976	784	5,348
	3	100	935	3,123	6,024	7,499	7,401	7,068	6,369	38,519
	4	76	734	2,423	4,152	4,729	4,402	4,093	3,780	24,389
	5	29	170	430	919	1,178	982	705	676	5,089
	6	-	32	30	71	153	130	112	96	624
	7	1	5	5	-	18	14	10	8	61
TOTAL---		253	2,044	6,465	11,991	14,645	13,955	12,964	11,713	74,030
53	1-2	34	176	318	572	652	696	692	318	3,458
	3	110	694	1,367	2,246	3,226	3,541	4,029	3,100	18,313
	4	21	262	717	1,395	1,644	1,952	2,508	2,213	10,712
	5	3	60	210	564	720	661	663	535	3,416
	6	2	14	29	94	170	227	229	178	943
	7	-	5	2	8	18	24	59	59	175
TOTAL---		170	1,211	2,643	4,879	6,430	7,101	8,180	6,403	37,017
63	1-2	6	35	35	93	135	188	168	119	779
	3	1	69	224	439	431	522	435	237	2,358
	4	1	39	104	194	196	204	169	154	1,061
	5	2	4	16	41	69	75	76	55	338
	6	-	1	5	5	11	17	15	30	84
	7	-	-	2	-	3	5	5	12	27
TOTAL---		10	148	386	772	845	1,011	868	607	4,647
24-54	1-7	12	140	296	570	683	920	1,315	1,510	5,446
25-35	1-7	-	-	-	-	1	8	5	2	16
81-85 1/	1-7	11	77	124	221	291	392	371	247	1,734
All Colors	8 2/	1	9	31	52	73	143	265	259	833
TOTAL, ALL---		1,877	20,413	85,538	228,538	557,699	1,408,205	2,915,044	4,196,134	9,413,448

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	35 to 40+
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	402,822	383,565	257,907	51,184	8,774	716	1,104,968
	3	223,105	229,283	209,518	43,811	8,893	1,607	716,217
	4	18,424	13,315	11,824	2,993	629	92	47,277
	5	1,000	410	299	101	55	8	1,873
	6	92	11	3	2	-	-	108
	7	6	-	-	-	1	-	7
TOTAL----		645,449	626,584	479,551	98,091	18,352	2,423	1,870,450
31	1-2	224,623	109,751	46,546	7,000	834	27	388,781
	3	860,078	458,258	203,747	33,513	3,837	260	1,559,693
	4	217,671	118,169	48,920	8,483	1,531	92	394,866
	5	12,693	5,349	2,203	725	287	23	21,280
	6	1,049	294	111	19	7	4	1,484
	7	45	14	4	2	-	-	65
TOTAL----		1,316,159	691,835	301,531	49,742	6,496	406	2,366,169
41	1-2	96,626	37,637	12,200	1,012	60	1	147,536
	3	735,404	338,142	101,476	10,155	944	82	1,186,203
	4	304,937	171,674	61,660	7,412	918	44	546,645
	5	29,585	14,810	6,591	1,543	324	18	52,871
	6	3,336	1,233	539	194	44	5	5,351
	7	189	91	60	23	4	2	369
TOTAL----		1,170,077	563,587	182,526	20,339	2,294	152	1,938,975
51	1-2	5,991	2,035	451	31	1	-	8,509
	3	77,977	31,818	7,294	426	24	9	117,548
	4	44,084	20,704	5,899	428	693	3,858	75,666
	5	6,802	3,528	1,336	144	16	2	11,828
	6	1,377	441	126	14	2	-	1,960
	7	171	44	22	1	-	-	238
TOTAL----		136,402	58,570	15,128	1,044	84	24	211,252
61	1-2	356	144	55	14	-	-	569
	3	1,358	701	243	22	-	-	2,324
	4	913	512	157	20	-	-	1,602
	5	276	163	49	3	-	-	491
	6	106	37	13	-	-	-	156
	7	24	5	-	-	-	-	29
TOTAL----		3,033	1,562	517	59	-	-	5,171
71	1-2	12	11	2	2	-	-	27
	3	16	16	10	3	1	-	46
	4	6	10	2	-	-	-	18
	5	7	1	1	1	-	-	10
	6	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-
TOTAL----		41	38	15	6	1	-	101
12 & 22	1-2	16,292	7,284	3,165	840	232	68	27,881
	3	14,246	6,609	4,278	1,186	268	76	26,663
	4	3,197	1,362	656	325	61	4	5,605
	5	224	112	36	16	5	-	393
	6	13	10	2	-	-	-	25
	7	-	-	1	-	-	-	1
TOTAL----		33,972	15,377	8,138	2,367	566	148	60,568
32	1-2	13,467	3,038	1,269	290	70	27	18,161
	3	46,266	13,726	4,811	1,188	213	46	66,250
	4	16,162	6,233	1,816	490	62	9	24,772
	5	1,666	637	235	42	8	5	2,593
	6	167	106	25	2	2	1	303
	7	23	23	5	-	-	-	51
TOTAL----		77,751	23,763	8,161	2,012	355	88	112,130
42	1-2	14,612	2,432	341	52	22	11	17,470
	3	117,171	28,262	3,395	321	60	64	149,273
	4	70,478	22,334	3,165	254	19	16	96,266
	5	7,606	2,852	481	75	7	3	11,024
	6	859	294	79	21	3	7	1,263
	7	87	66	23	7	1	2	186
TOTAL----		210,813	56,240	7,484	730	112	103	275,482
52	1-2	1,902	323	31	4	-	2	2,262
	3	21,487	4,929	511	34	8	2	26,971
	4	19,852	5,682	764	28	1	1	26,328
	5	4,226	1,515	227	10	-	-	5,978
	6	849	244	41	2	-	-	1,136
	7	167	62	8	3	-	-	240
TOTAL----		48,483	12,755	1,582	81	9	5	62,915

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY		STAPLE							
COLOR	LEAF	35	36	37	38	39	40 &+	35 to 40+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	779	213	31	-	1	-	1,024	2,804
	3	945	377	101	4	3	-	1,430	4,559
	4	341	101	33	1	1	-	477	2,675
	5	192	52	25	3	-	-	272	1,117
	6	101	37	10	1	-	-	149	433
	7	31	8	1	-	-	-	40	111
TOTAL----		2,389	788	201	9	5	-	3,392	11,699
13 & 23	1-2	572	391	234	53	4	8	1,262	6,308
	3	673	392	284	88	11	13	1,461	7,430
	4	188	57	22	11	2	1	281	1,709
	5	23	2	4	-	-	1	30	226
	6	2	1	3	-	-	-	6	23
	7	-	-	-	-	-	-	-	-
TOTAL----		1,458	843	547	152	17	23	3,040	15,696
33	1-2	708	620	337	41	2	14	1,722	5,966
	3	1,709	1,135	960	132	11	43	3,990	20,027
	4	857	386	190	73	13	13	1,532	7,774
	5	226	51	23	16	-	3	319	1,424
	6	30	9	5	-	-	13	57	174
	7	3	-	1	-	-	2	6	28
TOTAL----		3,533	2,201	1,516	262	26	88	7,626	35,393
43	1-2	359	134	35	2	3	8	541	5,889
	3	3,596	1,182	410	46	10	5	5,249	43,768
	4	2,206	908	221	48	8	3	3,394	27,783
	5	453	122	42	14	2	2	635	5,724
	6	86	22	13	1	1	7	130	754
	7	14	15	10	-	-	10	49	110
TOTAL----		6,714	2,383	731	111	24	35	9,998	84,028
53	1-2	144	29	4	-	-	-	177	3,635
	3	1,257	353	58	4	-	-	1,672	19,985
	4	1,034	365	41	3	1	-	1,444	12,156
	5	241	79	19	2	-	1	342	3,758
	6	68	29	8	-	-	-	105	1,048
	7	31	10	1	-	-	-	42	217
TOTAL----		2,775	865	131	9	1	1	3,782	40,799
63	1-2	98	44	6	-	-	-	148	927
	3	130	67	8	-	-	-	205	2,563
	4	63	53	8	-	-	-	124	1,185
	5	24	20	1	-	-	-	45	383
	6	15	8	-	-	-	-	23	107
	7	4	1	-	-	-	-	5	32
TOTAL----		334	193	23	-	-	-	550	5,197
24-54	1-7	1,085	615	398	61	16	1	2,176	7,622
25-35	1-7	-	-	2	-	-	-	2	18
81-85 1/	1-7	154	97	63	5	1	-	320	2,054
All Colors	8 2/	157	42	43	10	-	4	256	1,089
TOTAL, ALL----		3,660,779	2,058,338	1,008,288	175,090	28,359	3,501	6,934,355	16,347,803
EXTRANEEOUS MATTER		Average Staple -----							34.2
		Percent Tenderable -----							64.0
Bark - Level 1		1,105,447							
Bark - Level 2		1,988							
Grass - Level 1		157,364							
Grass - Level 2		1,158							
Prep - Level 1		14,237							
Prep - Level 2		37							
Other - Level 1		18,192							
Other - Level 2		18							

16,347,803 bales classed, includes 25,703 of Kansas. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	0.1	0.4	1.2	2.0	2.4	2.5	2.3	1.6	0.3	*	*	12.9
	3	*	*	*	0.1	0.2	0.5	1.0	1.3	1.4	1.4	1.3	0.3	*	*	7.5
	4	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	-	*	*	*	-	-	-	*	-	*
TOTAL----		*	*	0.1	0.2	0.7	1.8	3.1	3.9	3.9	3.8	2.9	0.6	0.1	*	21.2
31	1-2	*	*	*	*	0.1	0.5	1.2	1.7	1.4	0.7	0.3	*	*	*	6.0
	3	*	*	*	0.1	0.3	1.1	3.3	5.5	5.3	2.8	1.2	0.2	*	*	19.8
	4	*	*	*	*	0.1	0.3	0.8	1.3	1.3	0.7	0.3	*	*	*	5.0
	5	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		*	*	*	0.2	0.5	2.0	5.4	8.6	8.1	4.2	1.8	0.3	*	*	31.2
41	1-2	-	*	*	*	*	0.2	0.6	0.9	0.6	0.2	0.1	*	*	*	2.7
	3	*	*	*	*	0.2	0.9	2.7	5.0	4.5	2.1	0.6	0.1	*	*	16.2
	4	*	*	*	*	0.2	0.5	1.1	1.8	1.9	1.1	0.4	*	*	*	7.1
	5	-	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	*	1.2
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		*	*	*	0.1	0.5	1.9	4.8	8.1	7.2	3.4	1.1	0.1	*	*	27.2
51	1-2	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	-	0.2
	3	-	*	*	*	*	0.1	0.3	0.6	0.5	0.2	*	*	*	*	1.7
	4	-	*	*	*	*	*	0.2	0.3	0.3	0.1	*	*	*	*	0.9
	5	-	*	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		*	*	*	*	*	0.2	0.6	1.0	0.8	0.4	0.1	*	*	*	3.1
61	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
71	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	*	*	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	*	*	-	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	*	0.9
	3	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		*	*	*	0.1	0.2	0.3	0.4	0.4	0.2	0.1	*	*	*	*	1.8
32	1-2	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	3	*	*	0.1	0.1	0.2	0.4	0.5	0.5	0.3	0.1	*	*	*	*	2.2
	4	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	0.8
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		*	*	0.1	0.3	0.4	0.7	0.8	0.8	0.5	0.1	*	*	*	*	3.8
42	1-2	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	3	*	*	*	0.1	0.3	0.7	1.1	1.3	0.7	0.2	*	*	*	*	4.5
	4	*	*	0.1	0.2	0.3	0.5	0.6	0.6	0.4	0.1	*	*	*	*	2.9
	5	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	*	0.5
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		*	*	0.1	0.4	0.7	1.4	2.1	2.2	1.3	0.3	*	*	*	*	8.6
52	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	*	*	0.1	0.2	0.3	0.1	*	*	*	*	*	0.8
	4	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.6
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		*	*	*	*	0.1	0.2	0.5	0.5	0.3	0.1	*	*	*	*	1.8

* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	*	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
13 & 23	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	*	*
	7	-	-	*	*	*	*	*	*	*	-	*	-	-	*	*
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.3
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	-	*	*	*	*	*	*	*	-	-	*	*
TOTAL----		*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	0.5
53	1-2	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	-	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
63	1-2	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	4	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	5	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	*	*	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	*	-	*	*	*	*	*	*	-	-	-	-	*
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
24-54	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	*	*	*	*	-	-	*	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		*	0.1	0.5	1.4	3.4	8.6	17.8	25.7	22.4	12.6	6.2	1.1	0.2	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	6.8															Average Staple 34.2
Bark - Level 2	*															Percent Tenderable 64.0
Grass - Level 1	1.0															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	0.1															
Other - Level 1	*															

16,347,803 bales classed includes 25,703 of Kansas. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	0.4	1.4	2.7	2.7	1.1	0.3	*	*	-	-	8.6
	3	-	*	*	*	0.2	0.7	1.8	2.2	1.2	0.3	*	*	-	-	6.5
	4	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	0.6	2.2	4.6	5.1	2.5	0.7	0.1	*	-	-	15.7
31	1-2	-	-	*	*	0.2	1.1	2.3	2.1	0.8	0.1	*	*	-	-	6.6
	3	-	-	*	*	0.5	2.9	7.7	9.1	4.4	1.0	0.1	*	-	-	25.7
	4	-	*	*	*	0.1	0.5	1.5	2.2	1.4	0.4	*	*	-	-	6.1
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	0.8	4.5	11.5	13.5	6.7	1.5	0.1	*	-	-	38.7
41	1-2	-	*	*	*	0.1	0.4	0.7	0.6	0.2	*	*	-	-	-	1.9
	3	-	-	*	*	0.3	1.9	5.4	6.4	3.5	0.7	*	-	-	-	18.2
	4	-	-	*	-	0.1	0.5	1.6	2.7	2.0	0.5	*	-	-	-	7.5
	5	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	0.4	2.9	7.8	9.9	5.8	1.3	0.1	-	-	-	28.2
51	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.2	0.7	1.1	0.7	0.2	*	-	-	-	2.9
	4	-	-	-	-	*	0.1	0.3	0.6	0.4	0.1	*	-	-	*	1.6
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.4	1.2	1.8	1.1	0.3	*	-	-	-	4.8
61	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	-	0.4
	3	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	-	-	0.9
32	1-2	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	-	-	0.6
	3	-	*	*	*	0.1	0.4	0.7	0.7	0.2	*	*	-	-	-	2.2
	4	-	-	-	-	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	0.2	0.7	1.1	1.0	0.4	0.1	*	*	-	-	3.4
42	1-2	-	*	*	*	*	0.1	0.2	0.1	*	*	-	-	-	-	0.5
	3	*	-	-	*	0.2	0.7	1.2	1.1	0.4	0.1	*	-	-	-	3.8
	4	-	-	-	-	*	0.2	0.4	0.5	0.3	0.1	*	-	-	-	1.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	*	*	*	*	0.3	1.1	1.7	1.7	0.8	0.2	*	-	-	-	5.7
52	1-2	-	-	-	-	*	*	0.1	0.2	0.2	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.2	0.2	0.2	*	*	-	-	-	0.7
	4	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.4	0.5	0.3	0.1	*	-	-	-	1.5

* Less than 0.05 percent.

Table 3. — **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	*	*	-	*	*	-	-	-	-	*	
13 & 23	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	*	*	*	*	*	*	-	-	-	-	-	*	
33	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1	
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	*	*	*	*	*	*	*	*	-	-	-	0.2	
43	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
	3	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2	
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5	
53	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2	
63	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	3	-	-	*	-	-	*	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	*	*	*	*	-	-	-	-	-	*	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
25-35	1-7	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*	
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL----			*	*	*	0.1	2.4	12.3	28.9	34.1	17.7	4.1	0.4	*	-	100.0	
EXTRANEEOUS MATTER																	
Bark - Level 1	2.6																
Bark - Level 2	*																
Grass - Level 1	0.7																
Grass - Level 2	*																
Prep - Level 1	*																
Prep - Level 2	-																
Other - Level 1	*																
Other - Level 1	*																
			Average Staple 33.7														
			Percent Tenderable 66.3														

533,000 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.7	3.8	10.7	11.2	4.9	0.4	*	-	31.9
	3	-	-	-	-	*	-	0.1	0.6	1.5	1.6	0.7	0.1	*	-	4.6
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.8	4.4	12.4	12.8	5.7	0.5	*	*	36.8
31	1-2	-	-	-	-	*	*	0.2	1.0	2.3	2.3	0.9	*	*	-	6.9
	3	-	-	-	-	*	0.1	0.4	1.7	3.4	3.4	1.4	0.1	*	-	10.4
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.2	*	*	-	1.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.2	0.7	2.9	6.1	6.2	2.6	0.2	*	-	18.8
41	1-2	-	-	-	-	*	*	0.2	0.9	2.0	1.9	0.9	0.1	*	-	6.1
	3	-	-	-	-	*	0.2	0.9	3.7	7.0	6.7	2.9	0.2	*	*	21.5
	4	-	-	-	-	*	*	0.3	1.1	1.5	1.3	0.6	*	*	*	4.9
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	*	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.3	1.6	5.9	10.6	10.1	4.5	0.3	*	*	33.2
51	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	3	-	-	-	-	*	*	0.2	0.7	1.0	0.7	0.2	*	*	*	2.8
	4	-	-	-	-	*	*	0.1	0.3	0.5	0.3	0.1	*	-	-	1.4
	5	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	*	-	0.5
	6	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.1	0.5	1.4	1.8	1.2	0.3	*	*	*	5.2
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	0.2	0.6	0.5	0.1	*	*	*	-	1.5
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.4	0.8	0.7	0.2	*	*	-	2.3
32	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.2
	3	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	1.0
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	4	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	-	0.5
	5	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	*	0.2	0.3	0.3	0.1	*	*	*	-	1.0
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	-	0.3
	6	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	0.9

* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
43	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
53	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	0.1	0.8	4.4	16.0	32.6	31.5	13.5	1.0	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		7.8														Average Staple 35.3
Bark - Level 2		0.1														Percent Tenderable 55.9
Grass - Level 1		0.5														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		0.1														
Other - Level 1		*														

745,409 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.4	1.3	1.2	0.4	*	*	-	-	3.5
	3	-	-	-	-	*	*	0.2	1.0	1.6	0.7	0.1	*	-	-	3.6
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	0.1	0.6	2.3	2.9	1.2	0.1	*	-	-	7.3
31	1-2	-	-	-	*	*	0.1	0.9	3.1	3.2	0.9	0.1	*	-	-	8.2
	3	-	-	-	*	*	0.2	1.9	8.5	12.1	4.4	0.3	*	-	-	27.4
	4	-	-	-	-	*	*	0.2	1.0	2.5	1.5	0.2	*	-	-	5.4
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL		-	-	-	*	*	0.3	2.9	12.6	17.9	6.9	0.6	*	-	-	41.1
41	1-2	-	-	-	*	*	0.1	0.4	1.5	1.3	0.3	*	-	-	-	3.5
	3	-	-	-	*	*	0.3	1.9	7.7	9.4	2.8	0.2	*	-	-	22.2
	4	-	-	-	*	*	0.1	0.5	2.1	3.8	2.0	0.2	*	-	-	8.8
	5	-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	-	-	0.7
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL		-	-	-	*	*	0.4	2.8	11.4	14.8	5.3	0.5	*	-	-	35.3
51	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.4	0.4	0.1	*	*	-	-	1.1
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	-	-	-	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL		-	-	-	-	*	0.1	0.3	0.7	0.8	0.3	*	*	-	-	2.2
61	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	4	-	-	-	-	*	*	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	*	*	*	0.2	0.3	0.2	*	*	*	-	-	0.7
32	1-2	-	-	-	*	*	*	0.1	0.3	0.2	*	*	-	-	-	0.6
	3	-	-	-	-	*	*	0.4	1.1	0.9	0.2	*	*	-	-	2.6
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	*	*	0.1	0.6	1.5	1.3	0.3	*	*	-	-	3.9
42	1-2	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.1	0.8	1.9	1.6	0.4	*	*	-	-	4.9
	4	-	-	-	-	*	*	0.3	0.7	0.7	0.3	*	*	-	-	2.0
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL		-	-	-	-	*	0.2	1.2	2.9	2.7	0.7	0.1	*	-	-	7.8
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	0.1	0.3	0.2	0.1	*	-	-	-	0.7
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	*	*	0.2	0.5	0.4	0.1	*	*	-	-	1.3

* Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL, ALL-----		-	-	-	*	0.1	1.2	8.9	32.4	41.1	14.9	1.3	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.4															Average Staple 34.6
Bark - Level 2	*															Percent Tenderable 77.7
Grass - Level 1	0.5															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

1,406,034 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- **California** : Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	-	*	0.1	0.9	2.8	6.1	9.6	8.3	2.0	0.4	*	30.1
	3	-	-	-	-	*	*	0.2	0.7	2.7	6.9	8.0	1.8	0.4	0.1	20.8
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	0.7
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	-	*	0.1	1.1	3.6	8.8	16.7	16.5	3.9	0.8	0.1	51.6
31	1-2	-	-	-	-	*	*	0.3	0.8	1.7	2.2	1.4	0.3	*	*	6.8
	3	-	-	-	-	*	*	0.2	0.9	3.4	7.5	7.0	1.4	0.2	*	20.6
	4	-	-	-	-	*	*	*	0.1	0.4	1.0	1.3	0.3	*	*	3.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	0.1	0.5	1.8	5.6	10.8	9.7	1.9	0.2	*	30.6
41	1-2	-	-	-	-	*	*	*	0.2	0.3	0.3	0.2	*	*	*	1.0
	3	-	-	-	-	*	*	0.1	0.6	2.0	3.8	2.4	0.4	*	*	9.4
	4	-	-	-	-	*	*	*	0.1	0.6	1.7	1.4	0.2	*	*	4.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.2	0.9	3.0	5.9	4.0	0.6	0.1	*	14.7
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.3	0.2	*	*	*	*	0.7
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	0.9
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.2	*	*	*	0.5
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.8
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.3
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	*	*	-	-	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	*	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	-	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	-	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	*	-	-	*	*	*	*	-	-	*
TOTAL, ALL-----		-	-	*	*	*	0.3	1.9	6.6	17.9	34.2	31.0	6.7	1.1	0.2	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.6														
Bark - Level 2		*														
Grass - Level 1		0.9														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		0.7														
Other - Level 1		*														

2,159,534 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Average Staple 36.1
Percent Tenderable 88.8

Table 7. -- *Florida*: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	1.0	1.3	0.2	*	-	-	-	2.8
	3	-	-	-	-	-	*	0.4	1.3	1.7	0.6	*	-	-	-	4.0
	4	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	0.6	2.4	3.0	0.9	0.1	-	-	-	7.0
31	1-2	-	-	-	-	*	0.1	0.8	2.7	1.9	0.3	*	-	-	-	5.9
	3	-	-	-	-	*	0.4	3.5	12.2	10.3	2.1	0.1	-	-	-	28.6
	4	-	-	-	-	*	*	0.2	0.8	1.0	0.4	0.1	-	-	-	2.5
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.5	4.6	15.7	13.2	2.8	0.2	-	-	-	37.0
41	1-2	-	-	-	*	*	*	0.3	0.6	0.5	0.1	*	-	-	-	1.5
	3	-	-	-	*	*	0.5	3.2	9.5	7.9	2.0	0.2	-	-	-	23.3
	4	-	-	-	-	*	0.1	0.7	2.2	2.7	1.0	0.1	-	-	-	6.8
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.7	4.1	12.4	11.0	3.1	0.3	*	-	-	31.6
51	1-2	-	-	-	-	*	*	*	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	-	*	0.1	0.7	2.5	2.1	0.6	*	-	-	-	6.0
	4	-	-	-	-	*	*	0.3	1.2	1.3	0.5	*	-	-	-	3.4
	5	-	-	-	-	-	*	*	*	0.1	*	-	-	-	-	0.1
	6	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	1.0	3.9	3.5	1.1	0.1	-	-	-	9.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
32	1-2	-	-	-	-	*	*	*	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	*	*	0.1	0.4	0.7	0.4	*	*	-	-	-	1.7
	4	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.2	0.5	0.9	0.5	0.1	*	-	-	-	2.1
42	1-2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	*	*	0.4	1.1	1.8	1.2	0.4	*	*	-	-	5.1
	4	-	-	-	-	*	0.2	0.6	1.0	0.7	0.3	*	-	-	-	2.9
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.7	1.8	3.0	1.9	0.8	0.1	*	-	-	8.3
52	1-2	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.4	0.4	0.4	0.1	-	-	-	-	1.0
	4	-	-	-	-	*	0.1	0.5	0.4	0.4	0.1	*	-	-	-	1.2
	5	-	-	-	-	-	*	0.1	0.1	0.1	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.3	1.0	0.9	0.2	*	-	-	-	-	2.4

* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-
	3	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	-
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-
	3	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	-	-	-	0.7
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	-	-	-	1.1
53	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.2
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	*	0.2	2.4	13.2	39.9	34.4	9.1	0.9	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		3.1														
Bark - Level 2		*														
Grass - Level 1		1.0														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

92,411 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	0.1	0.3	0.4	0.1	*	*	-	-	1.0
	3	-	-	-	*	*	*	0.3	0.8	1.1	0.5	0.1	*	-	-	2.8
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---	-	-	-	*	*	0.1	0.4	1.1	1.5	0.7	0.1	*	-	-	3.9
31	1-2	-	-	-	*	*	0.1	0.5	1.0	0.8	0.2	*	*	-	-	2.6
	3	-	-	-	*	0.1	0.7	3.0	7.1	7.3	2.8	0.5	*	*	-	21.5
	4	-	-	-	*	*	*	0.2	0.5	0.8	0.4	0.1	*	*	-	2.0
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---	-	-	-	*	0.1	0.8	3.6	8.6	8.9	3.4	0.6	*	*	-	26.1
41	1-2	-	-	-	*	*	0.2	0.5	0.6	0.3	0.1	*	*	-	-	1.6
	3	-	-	*	*	0.2	1.5	5.8	11.6	10.1	3.7	0.6	*	-	-	33.4
	4	-	*	-	*	*	0.2	1.0	2.4	2.8	1.4	0.3	*	-	-	8.1
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL---	-	*	*	*	0.2	1.9	7.3	14.8	13.3	5.2	1.0	*	-	-	43.5
51	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.4	1.4	2.5	2.2	0.9	0.2	*	-	-	7.6
	4	-	-	-	*	*	0.1	0.5	1.0	1.1	0.5	0.1	*	-	-	3.3
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL---	-	-	-	*	0.1	0.6	2.0	3.7	3.5	1.4	0.3	*	-	-	11.5
61	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	TOTAL---	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
71	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	-	-	-	0.9
42	1-2	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	*	*	0.2	0.9	1.8	2.0	0.9	0.2	*	*	-	-	6.0
	4	-	-	-	*	*	0.2	0.6	0.8	0.5	0.1	*	*	-	-	2.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	TOTAL---	-	-	*	*	0.2	1.1	2.5	2.9	1.4	0.3	*	*	-	-	8.6
52	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	*	*	0.1	0.5	0.9	0.6	0.2	*	*	*	-	-	2.4
	4	-	-	-	*	*	0.2	0.4	0.5	0.2	*	*	-	-	-	1.4
	5	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL---	-	-	*	*	0.1	0.8	1.4	1.2	0.5	0.1	*	*	-	-	4.2

* Less than 0.05 percent.

Table 8. — **Georgia** : Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE													
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	TOTAL Pct.
62	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
63	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	*	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	-	-	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		-	*	*	0.1	0.9	5.5	17.8	32.9	29.5	11.3	2.0	*	*	100.0
EXTRANEEOUS MATTER															
Bark - Level 1	3.0														
Bark - Level 2	*														
Grass - Level 1	1.8														
Grass - Level 2	*														
Prep - Level 1	0.2														
Prep - Level 2	*														
Other - Level 1	*														
Other - Level 1	*														

1,621,769 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	1.0	3.0	4.3	3.1	1.0	0.1	*	*	*	-	12.5
	3	-	-	-	*	0.1	0.5	0.8	0.8	0.4	0.1	*	*	*	-	2.8
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	1.1	3.4	5.1	4.0	1.5	0.2	0.1	*	*	-	15.4
31	1-2	-	-	-	*	0.2	1.5	3.6	4.3	2.1	0.4	*	*	*	-	12.2
	3	-	-	-	*	0.1	0.6	2.1	3.8	3.2	1.1	0.2	*	*	-	11.1
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	*	-	1.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	0.4	2.1	5.8	8.4	5.8	1.7	0.3	*	*	-	24.5
41	1-2	-	-	-	*	0.1	1.1	3.0	3.9	2.0	0.4	*	*	*	-	10.4
	3	-	-	-	*	0.1	1.1	4.4	8.5	6.4	2.0	0.3	*	-	-	22.8
	4	-	-	-	-	*	0.1	0.5	1.5	1.8	0.9	0.2	*	*	-	5.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	*	0.2	2.3	7.9	13.9	10.2	3.3	0.5	0.1	*	-	38.4
51	1-2	-	-	-	-	*	0.1	0.2	0.3	0.1	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.1	0.5	0.9	0.5	0.1	*	*	-	-	2.1
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	0.2	0.9	1.5	1.0	0.3	*	*	-	-	3.9
61	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	*	0.1	0.3	0.4	0.3	0.1	*	*	-	-	-	1.1
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.2	0.4	0.6	0.5	0.2	*	*	-	-	-	1.8
32	1-2	-	-	-	*	0.1	0.2	0.4	0.4	0.2	*	*	-	-	-	1.4
	3	-	-	-	*	0.1	0.3	0.6	0.7	0.4	0.1	*	-	-	-	2.1
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.2	0.6	1.1	1.3	0.7	0.1	*	*	-	-	4.0
42	1-2	-	-	-	*	*	0.2	0.4	0.5	0.2	*	*	*	-	-	1.5
	3	-	-	-	-	0.1	0.5	1.3	1.9	1.2	0.3	*	-	-	-	5.1
	4	-	-	-	-	*	0.1	0.4	0.8	0.7	0.2	*	*	-	-	2.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.1	0.8	2.1	3.2	2.1	0.5	*	*	-	-	8.8
52	1-2	-	-	-	-	*	*	0.1	0.2	*	*	-	-	-	-	0.3
	3	-	-	-	-	*	0.1	0.3	0.5	0.2	*	*	-	-	-	1.1
	4	-	-	-	-	*	*	0.2	0.3	0.2	*	*	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.2	0.6	0.9	0.5	0.1	*	*	-	-	2.3

* Less than 0.05 percent.

Table 9. -- *Louisiana* : Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL		
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
62	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*		
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*		
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1		
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*		
	4	-	-	-	*	*	-	*	*	*	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	*	*	*	*	*	*	-	-	-	-	-	*		
33	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1		
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	5	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1		
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1		
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2		
	4	-	-	-	-	*	*	-	-	*	*	*	-	-	-	0.1		
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4		
53	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1		
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2		
63	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	3	-	-	*	-	-	*	*	*	*	-	-	-	-	-	*		
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*		
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL----		-	-	-	*	2.2	10.1	24.2	34.0	22.1	6.3	1.0	0.1	*	-	100.0		
EXTRANEEOUS MATTER																Average Staple	33.9	
Bark - Level 1		0.3															Percent Tenderable	61.0
Bark - Level 2		*																
Grass - Level 1		0.3																
Grass - Level 2		*																
Prep - Level 1		*																
Prep - Level 2		*																
Other - Level 1		*																
Other - Level 1		-																

923,276 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	0.3	1.1	1.4	1.1	0.5	0.1	*	*	-	-	4.5
	3	-	-	-	*	0.1	0.4	0.6	0.7	0.4	0.1	*	*	-	-	2.4
	4	-	-	-	-	*	*	*	0.1	*	*	*	*	-	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.4	1.5	2.1	1.1	0.9	0.3	*	*	-	*	7.1
31	1-2	-	-	-	*	0.1	0.7	2.0	2.7	1.4	0.3	*	*	-	-	7.3
	3	-	-	-	*	0.1	0.7	2.7	4.7	3.5	1.0	0.1	*	-	-	12.9
	4	-	-	-	*	*	0.1	0.3	0.6	0.7	0.3	*	*	-	-	2.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	TOTAL----	-	-	-	*	0.2	1.6	5.0	8.1	5.6	1.6	0.2	*	-	-	22.3
41	1-2	-	-	-	*	0.1	0.6	1.7	2.1	0.9	0.1	*	*	-	-	5.6
	3	-	-	-	*	0.1	1.1	4.8	9.0	6.1	1.6	0.1	*	-	-	22.8
	4	-	-	-	*	*	0.2	0.9	2.4	2.6	1.0	0.1	*	-	-	7.2
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	0.3	2.0	7.4	13.5	9.7	2.8	0.3	*	-	-	36.0
51	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.2
	3	-	-	-	-	*	0.1	0.4	0.7	0.5	0.1	*	*	-	-	1.8
	4	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	-	-	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.2	0.7	1.2	0.9	0.2	*	*	-	-	3.3
61	1-2	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
71	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	-	0.9
	3	-	-	-	*	*	0.2	0.3	0.3	0.1	*	*	-	-	-	1.0
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.4	0.6	0.6	0.2	*	*	-	-	-	2.0
32	1-2	-	-	-	*	0.1	0.2	0.4	0.5	0.3	*	*	-	-	-	1.6
	3	-	-	-	-	*	0.3	0.7	1.0	0.6	0.2	*	*	-	-	2.8
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.6	1.3	1.7	1.1	0.3	*	*	-	-	5.1
42	1-2	-	-	-	*	0.1	0.4	0.8	0.8	0.4	*	*	-	-	-	2.5
	3	-	-	-	*	0.2	1.0	2.7	4.0	2.5	0.6	*	*	-	-	11.0
	4	-	-	-	*	*	0.2	0.9	1.8	1.6	0.6	0.1	*	-	-	5.3
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.3	1.6	4.4	6.7	4.6	1.4	0.1	*	-	-	19.2
52	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.2	0.5	0.8	0.4	0.1	*	*	-	-	2.0
	4	-	-	-	*	*	0.1	0.4	0.6	0.5	0.2	*	-	-	-	1.7
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.3	1.0	1.5	1.0	0.3	*	*	-	-	4.2

* Less than 0.05 percent.

Tal.

QUALITY	LEAF
COLOR	
62	1-2 3 4 5 6 7
TOTAL----	
13 & 23	1-2 3 4 5 6 7
TOTAL----	
33	1-2 3 4 5 6 7
TOTAL----	
43	1-2 3 4 5 6 7
TOTAL----	
53	1-2 3 4 5 6 7
TOTAL----	
63	1-2 3 4 5 6 7
TOTAL----	
24-54	1-7
25-35	1-7
81-85 1/	1-7
All Colors	8 2
TOTAL, ALL----	
EXTRANEIOUS MATTER	

Bark - Level 1

Bark - Level 2

Grass - Level 1

Grass - Level 2

Prep - Level 1

Prep - Level 2

Other - Level 1

Other - Level 1

1,676,423 Bale:

File 10. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

[illegible]

classified. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.8	1.5	0.5	*	*	-	-	3.0
	3	-	-	-	-	*	*	0.1	0.8	1.9	0.8	0.1	*	-	-	3.7
	4	-	-	-	-	*	-	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	1.7	3.6	1.4	0.1	*	-	-	6.9
31	1-2	-	-	-	-	*	*	0.6	3.2	4.2	1.3	0.1	*	-	-	9.4
	3	-	-	-	-	*	*	1.0	7.2	13.7	5.5	0.5	*	-	-	27.9
	4	-	-	-	-	*	*	0.1	0.8	2.0	1.0	0.1	*	-	-	4.0
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	1.7	11.2	19.9	7.9	0.7	*	-	-	41.5
41	1-2	-	-	-	-	*	*	0.4	1.5	1.7	0.5	*	*	-	-	4.2
	3	-	-	-	-	*	0.1	1.3	7.3	11.0	4.0	0.4	*	-	-	24.0
	4	-	-	-	-	*	*	0.3	1.7	2.9	1.2	0.1	*	-	-	6.2
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	2.0	10.5	15.7	5.7	0.6	*	-	-	34.7
51	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.4	0.5	0.1	*	-	-	-	1.1
	4	-	-	-	-	*	*	*	0.2	0.2	*	*	-	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	0.7	0.7	0.2	*	-	-	-	1.7
61	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	*	*	-	-	-	0.4
32	1-2	-	-	-	-	-	*	0.1	0.4	0.3	*	*	-	-	-	0.8
	3	-	-	-	-	*	*	0.2	1.0	1.0	0.3	*	-	-	-	2.5
	4	-	-	-	-	-	*	*	0.2	0.2	0.1	*	-	-	-	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.3	1.6	1.5	0.4	*	-	-	-	3.9
42	1-2	-	-	-	-	*	*	0.2	0.5	0.3	*	*	-	-	-	1.0
	3	-	-	-	-	*	*	0.6	2.7	2.3	0.4	*	-	-	-	6.1
	4	-	-	-	-	*	*	0.2	0.7	0.9	0.2	*	-	-	-	2.0
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	1.0	3.9	3.5	0.7	*	-	-	-	9.2
52	1-2	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.1
	3	-	-	-	-	-	*	0.1	0.4	0.3	*	*	-	-	-	0.9
	4	-	-	-	-	*	*	*	0.2	0.2	*	*	-	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	0.7	0.5	0.1	*	-	-	-	1.5

* Less than 0.05 percent.

Table 11. -- *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE															
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1	
53	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	*	-	-	-	-	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL, ALL----		-	-	-	-	*	0.3	5.6	30.5	45.7	16.4	1.5	*	-	-	100.0	
EXTRANEEOUS MATTER																	
Bark - Level 1		0.3														Average Staple	34.8
Bark - Level 2		-														Percent Tenderable	82.5
Grass - Level 1		0.8															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															

502,083 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- *New Mexico*: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.6	1.5	4.8	9.4	12.2	3.9	0.8	*	33.5
	3	-	-	-	-	*	0.1	0.5	0.6	0.9	2.1	4.1	2.6	0.9	*	11.9
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	1.0	1.0	0.4	*	2.9
	5	-	-	-	-	-	*	*	-	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.2	1.2	2.2	6.0	11.8	17.4	7.6	2.1	0.1	48.6
31	1-2	-	-	-	-	*	0.2	0.5	0.5	1.5	3.0	2.9	0.7	0.1	*	9.4
	3	-	-	-	-	*	0.1	0.3	0.6	1.4	1.6	2.6	1.5	0.4	*	8.7
	4	-	-	-	-	*	0.1	0.2	0.2	0.3	0.6	2.7	2.9	1.1	0.1	8.2
	5	-	-	-	-	-	*	*	*	*	0.1	0.6	0.8	0.4	*	2.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	0.1	0.4	1.1	1.4	3.2	5.3	8.9	6.0	2.0	0.1	28.5
41	1-2	-	-	-	-	*	*	*	0.1	0.5	0.6	0.3	*	*	-	1.6
	3	-	-	-	-	*	0.1	0.2	0.4	1.3	1.0	0.8	0.2	*	-	3.8
	4	-	-	-	-	*	0.1	0.2	0.3	0.7	1.0	2.6	1.5	0.4	*	6.8
	5	-	-	-	-	-	*	0.1	*	0.1	0.4	2.2	1.7	0.5	*	5.0
	6	-	-	-	-	-	*	*	*	*	0.1	0.3	0.3	0.1	*	0.8
	7	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
TOTAL----		-	-	-	-	*	0.2	0.5	0.8	2.6	3.1	6.2	3.7	1.0	*	18.2
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	0.1	0.1	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	0.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	0.1	0.1	0.2	*	*	-	0.4
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.4	0.1	*	*	0.8
	4	-	-	-	-	-	-	-	*	*	*	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.2	0.3	0.9	0.3	0.1	*	1.7
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	4	-	-	-	-	-	-	*	*	*	*	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.2	0.4	0.3	0.1	*	1.1
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 12. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
33	1-2	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	0.1	0.2	*	*	*	0.3
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	*	*	*	*	*	*	-	0.1
53	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	*	*	-	*	*	*	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1
TOTAL, ALL----		-	-	-	-	0.1	0.9	2.8	4.6	12.2	21.1	34.5	18.2	5.3	0.3	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	2.6															Average Staple 36.5
Bark - Level 2	-															Percent Tenderable 81.6
Grass - Level 1	0.2															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

59,678 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
	3	-	-	-	*	*	0.6	1.5	1.8	1.2	0.3	*	*	-	-	5.5
	4	-	-	-	*	*	*	0.2	0.2	0.1	*	*	*	-	-	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	0.1	0.7	1.9	2.3	1.4	0.4	*	*	-	-	6.8
31	1-2	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	-	-	-	1.0
	3	-	-	-	*	0.2	2.6	9.7	14.4	11.8	4.0	0.4	*	-	-	43.1
	4	-	-	-	*	0.1	1.0	4.3	7.2	5.9	2.2	0.3	*	-	-	21.0
	5	-	-	-	-	*	0.1	0.4	0.6	0.4	0.1	*	-	-	-	1.6
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	0.2	3.8	14.8	22.6	18.3	6.4	0.8	*	-	-	66.9
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.4	1.8	3.0	2.7	1.1	0.2	*	-	-	9.3
	4	-	-	-	*	*	0.5	2.2	3.7	3.3	1.4	0.3	*	-	-	11.5
	5	-	-	-	*	*	0.1	0.5	0.7	0.5	0.2	*	*	-	-	2.1
	6	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	0.1	1.2	4.6	7.7	6.6	2.7	0.5	*	-	-	23.4
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	*	0.3
	5	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	-	-	0.8
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	0.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 13. — *North Carolina*: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL—		-	-	-	*	0.4	6.0	22.0	33.5	27.0	9.7	1.3	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		3.0														
Bark - Level 2		"														
Grass - Level 1		3.6														
Grass - Level 2		"														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		"														
Other - Level 1		-														

1,406,966 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. " Less than 0.05 percent.

Table 14. -- **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	0.2	0.4	0.5	0.9	3.0	7.7	12.6	15.1	8.3	0.4	*	-	49.1
	3	-	*	0.2	0.4	0.6	0.5	0.6	0.8	1.4	1.3	0.5	*	*	-	6.4
	4	-	*	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	*	*	-	-	1.0
	5	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	*	-	*	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	0.1	0.4	0.9	1.3	1.7	3.7	8.6	14.1	16.5	8.9	0.5	*	-	56.5
31	1-2	-	-	*	*	*	*	0.1	0.2	0.4	0.5	0.3	*	*	-	1.5
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.6
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	*	*	*	0.1	0.1	0.2	0.3	0.5	0.7	0.4	*	*	-	2.4
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	*	*	0.2	0.1	*	*	-	*	-	-	0.4
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	*	-	0.6
51	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	-	0.4
	3	-	-	*	*	*	0.1	0.3	0.4	0.3	0.3	0.1	*	-	-	1.5
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	*	*	*	0.1	0.4	0.6	0.5	0.4	0.1	*	-	-	2.2
61	1-2	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	-	-	0.4
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	*	*	*	*	0.1	0.3	0.4	0.2	0.1	*	-	-	1.1
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
12 & 22	1-2	-	*	0.1	0.2	0.3	0.3	0.5	1.0	0.9	0.5	0.2	*	-	-	4.0
	3	-	*	0.1	0.3	0.3	0.2	0.2	0.4	0.5	0.2	0.1	*	-	-	2.4
	4	-	*	*	0.1	0.1	0.1	*	*	0.1	*	*	-	-	-	0.6
	5	-	*	*	*	*	*	-	*	*	*	*	-	-	-	0.1
	6	-	-	*	*	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	0.1	0.3	0.6	0.8	0.6	0.8	1.4	1.5	0.8	0.3	*	-	-	7.1
32	1-2	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	-	-	0.6
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	-	-	0.7
	4	-	*	*	*	*	*	*	*	0.1	*	*	*	-	-	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	6	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	*	*	-	-	-	-	-	-	-	*
	TOTAL---	-	*	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.3	0.2	*	-	-	1.8
42	1-2	*	*	*	*	*	0.1	0.1	*	*	*	*	-	-	-	0.4
	3	*	*	0.1	0.2	0.2	0.4	0.3	0.1	*	*	*	*	-	-	1.4
	4	*	*	*	*	0.1	0.1	0.1	*	*	-	*	-	-	-	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	TOTAL---	*	0.1	0.2	0.3	0.4	0.6	0.5	0.2	*	*	*	*	-	-	2.3
52	1-2	*	*	*	*	0.1	0.3	0.7	0.5	0.1	*	*	-	-	-	1.8
	3	*	0.1	0.2	0.3	0.4	0.8	1.5	1.1	0.4	0.1	*	*	-	-	5.0
	4	*	*	0.1	0.3	0.3	0.3	0.4	0.3	0.1	*	-	-	-	-	1.8
	5	*	*	*	*	0.1	0.1	*	*	*	-	-	-	-	-	0.3
	6	-	*	*	-	*	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	TOTAL---	*	0.2	0.3	0.6	0.9	1.6	2.7	1.9	0.6	0.1	*	*	-	-	8.9

* Less than 0.05 percent.

Table 14. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	*	0.1	0.3	0.6	0.5	0.1	*	-	-	-	1.8
	3	-	-	*	*	0.1	0.2	0.3	0.4	0.5	0.2	0.1	*	-	-	1.9
	4	-	-	*	*	*	0.1	0.1	*	*	-	*	-	-	-	0.3
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	0.1	0.2	0.5	0.7	1.0	1.0	0.4	0.1	*	-	-	4.0
13 & 23	1-2	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.5
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	0.1	0.1	*	0.1	0.1	0.1	0.1	0.1	*	-	-	0.8
33	1-2	-	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	-	-	0.7
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	-	-	0.6
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	*	*	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	*	*	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	*	*	0.1	0.1	*	0.1	0.3	0.3	0.3	0.2	*	-	-	1.5
43	1-2	*	*	*	0.1	0.1	*	*	*	*	*	*	*	-	-	0.4
	3	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	*	-	-	-	1.0
	4	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	*	*	*	-	-	1.6
53	1-2	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	*	-	-	-	1.0
	3	0.1	0.3	0.4	0.5	0.5	0.4	0.3	0.1	*	*	-	*	-	-	2.8
	4	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	*	-	-	-	-	1.0
	5	*	*	*	*	0.1	*	*	*	*	*	-	-	-	-	0.2
	6	-	*	*	*	*	*	-	-	-	-	-	-	-	-	*
	7	-	*	*	*	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	0.1	0.5	0.7	1.0	1.0	0.8	0.6	0.2	0.1	*	*	*	-	-	4.9
63	1-2	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	-	-	0.6
	3	*	*	0.1	0.2	0.2	0.3	0.2	0.1	0.1	*	*	-	-	-	1.3
	4	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	-	-	0.4
	5	*	*	*	*	*	*	*	-	*	*	*	-	-	-	0.1
	6	-	*	*	*	*	*	*	-	-	-	-	-	-	-	*
	7	-	-	*	-	-	*	-	-	-	-	-	-	-	-	*
	TOTAL----	*	0.1	0.2	0.4	0.4	0.5	0.4	0.2	0.1	0.1	*	-	-	-	2.3
24-54	1-7	*	*	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	*	-	-	1.3
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	-	-	0.7
All Colors	8 2/	-	*	*	*	*	*	*	-	-	-	-	-	-	-	*
TOTAL, ALL----		0.2	1.2	2.6	4.9	6.1	7.1	10.9	15.8	19.9	20.2	10.5	0.6	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		22.8														
Bark - Level 2		*														
Grass - Level 1		*														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

145,557 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.3	0.8	1.2	0.9	0.3	*	*	-	-	3.5
	3	-	-	-	*	*	0.4	1.7	3.4	2.7	1.1	0.2	*	-	-	9.4
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	0.1	0.7	2.5	4.8	3.7	1.5	0.2	*	-	-	13.5
31	1-2	-	-	-	*	0.1	0.5	1.2	1.2	0.6	0.1	*	-	-	-	3.6
	3	-	-	-	*	0.3	3.0	10.3	14.0	8.9	2.7	0.3	*	-	-	39.6
	4	-	-	-	*	*	0.3	1.5	2.9	2.5	1.0	0.2	*	-	-	8.5
	5	-	-	-	-	*	*	*	0.2	0.2	0.1	*	-	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	0.4	3.8	13.1	18.3	12.2	3.9	0.5	*	-	-	52.2
41	1-2	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	-	-	0.7
	3	-	-	-	*	0.2	2.0	5.3	5.6	3.2	0.9	0.1	*	-	-	17.4
	4	-	-	-	*	0.1	0.5	1.9	2.7	2.1	0.8	0.1	*	-	-	8.2
	5	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	-	-	-	0.7
	6	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	0.3	2.7	7.6	8.9	5.7	1.8	0.2	*	-	-	27.2
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	*	0.7
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.2	0.4	0.4	0.2	0.1	*	*	-	-	1.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	*	*	0.2	0.4	0.2	0.1	*	*	*	-	-	0.9
	4	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.2	0.5	0.4	0.2	*	*	*	-	-	1.4
42	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	*	0.1	0.5	0.8	0.5	0.2	*	*	*	-	-	2.1
	4	-	-	-	*	*	0.2	0.5	0.4	0.2	*	*	-	-	-	1.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	0.1	0.7	1.3	0.9	0.4	0.1	*	*	-	-	3.6
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	*	*	*	-	-	-	-	0.2
	4	-	-	-	*	*	*	0.1	*	*	*	-	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4

* Less than 0.05 percent.

Table 15. -- **South Carolina** : Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
33	1-2	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	0.9	8.4	25.7	33.9	22.5	7.5	1.0	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.2															
Bark - Level 2	*															
Grass - Level 1	2.1															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															
		Average Staple 34.0														
		Percent Tenderable 79.5														

357,984 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	0.2	1.4	4.1	3.5	1.0	0.1	*	*	-	-	10.4
	3	-	-	-	-	0.1	0.7	2.5	3.1	1.3	0.2	*	*	-	-	7.8
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	0.3	2.2	6.6	6.8	2.3	0.3	*	*	-	-	18.5
31	1-2	-	-	-	-	0.3	2.3	4.8	3.6	1.1	0.1	*	*	-	-	12.3
	3	-	-	-	-	0.4	3.5	11.4	13.3	5.2	0.7	*	*	-	-	34.4
	4	-	-	-	-	*	0.3	1.0	1.8	1.0	0.2	*	*	-	-	4.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	0.7	6.0	17.2	18.8	7.4	1.0	*	*	-	-	51.1
41	1-2	-	-	-	-	*	0.3	0.7	0.6	0.2	*	*	*	-	-	1.9
	3	-	-	-	-	0.2	1.4	4.5	5.6	2.2	0.3	*	*	-	-	14.1
	4	-	-	-	-	0.1	0.4	1.1	1.5	0.8	0.1	*	*	-	-	4.0
	5	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	0.3	2.2	6.4	7.8	3.2	0.5	*	*	-	-	20.4
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	0.1	0.2	0.2	0.2	*	*	*	*	-	-	0.6
	4	-	-	-	-	*	0.1	0.2	0.1	*	*	*	*	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	0.1	0.4	0.4	0.3	0.1	*	*	*	-	-	1.3
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	0.1	0.1	0.1	*	*	*	*	-	-	0.3
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	0.1	0.2	0.2	0.1	*	*	*	*	-	-	0.7
32	1-2	-	-	-	-	*	0.3	0.4	0.3	0.1	*	*	*	-	-	1.0
	3	-	-	-	-	*	0.3	0.8	0.7	0.2	*	*	*	-	-	2.1
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	0.1	0.6	1.3	1.1	0.4	0.1	*	*	-	-	3.5
42	1-2	-	-	-	-	*	0.1	0.2	0.1	*	*	*	*	-	-	0.5
	3	-	-	-	-	*	0.3	0.8	0.7	0.2	*	*	*	-	-	2.2
	4	-	-	-	-	*	0.1	0.2	0.3	0.1	*	*	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	0.1	0.6	1.3	1.1	0.4	*	*	*	-	-	3.5
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	0.1	0.1	*	*	*	*	*	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.1	0.1	0.1	*	*	*	*	-	-	0.4

* Less than 0.05 percent.

Table 16. — *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE															
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*	
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1	
13 & 23	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
33	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1	
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1	
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1	
53	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
63	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	3	-	-	*	-	*	*	*	*	-	-	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	-	*	*	*	*	-	-	-	-	-	-	*	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
81-85 1/	1-7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
TOTAL, ALL----		-	-	-	-	1.7	12.2	33.8	36.3	13.9	2.0	0.1	*	-	-	100.0	
EXTRANEEOUS MATTER																	
Bark - Level 1		0.5															
Bark - Level 2		-															
Grass - Level 1		0.3															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															
			Average Staple 33.5														
			Percent Tenderable 76.7														

691,310 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	0.1	0.4	1.3	3.0	4.6	4.4	2.7	1.2	0.6	*	*	*	18.3
	3	*	*	0.1	0.3	0.8	1.4	1.9	1.8	1.2	0.7	0.6	*	*	*	8.8
	4	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	0.1	0.1	*	*	-	1.7
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	0.2	0.8	2.3	4.8	6.9	6.5	4.1	2.1	1.3	0.1	*	*	29.1
31	1-2	*	*	*	0.1	0.2	0.7	1.3	1.2	0.7	0.2	0.1	*	*	-	4.6
	3	*	*	0.1	0.3	0.8	1.5	2.1	1.6	0.8	0.4	0.3	*	*	*	8.0
	4	*	*	0.1	0.2	0.4	0.6	0.7	0.5	0.3	0.2	0.1	*	*	*	3.2
	5	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	-	0.6
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	0.2	0.7	1.6	3.1	4.1	3.5	1.8	0.9	0.6	0.1	*	*	16.5
41	1-2	-	*	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	*	-	1.3
	3	*	*	*	0.2	0.6	1.3	2.1	1.9	0.9	0.4	0.1	*	*	*	7.5
	4	*	*	*	0.2	0.7	1.6	2.1	1.7	0.7	0.3	0.2	*	*	*	7.6
	5	-	*	*	0.1	0.3	0.7	0.9	0.6	0.2	0.1	*	*	*	*	3.0
	6	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.5
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	0.1	0.5	1.7	3.9	5.6	4.7	2.1	0.8	0.4	*	*	*	20.0
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	-	0.6
	4	-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.1	0.6
	5	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	*	*	0.1	0.2	0.5	0.6	0.3	0.2	0.1	*	*	-	1.9
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	*	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	*	-	-	*	*	*	*	-	*	-	-	-	-	*
	4	-	*	*	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	*	*	-	*	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	*	*	*	0.1	0.3	0.5	0.5	0.4	0.1	*	*	*	*	-	2.1
	3	*	*	0.1	0.1	0.3	0.4	0.4	0.3	0.1	*	*	*	*	-	1.8
	4	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	-	0.4
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL----	*	*	0.1	0.3	0.6	1.0	1.0	0.8	0.3	0.1	*	*	*	-	4.3
32	1-2	*	*	0.1	0.1	0.2	0.3	0.3	0.1	*	*	*	*	*	-	1.1
	3	*	0.1	0.3	0.6	0.9	1.2	1.0	0.5	0.1	*	*	*	*	*	4.8
	4	*	*	0.1	0.3	0.4	0.5	0.4	0.2	0.1	*	*	*	*	-	2.1
	5	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	-	0.3
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	0.1	0.5	1.1	1.6	2.0	1.7	0.9	0.3	0.1	*	*	*	*	8.4
42	1-2	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	*	-	0.6
	3	*	*	0.2	0.6	1.1	1.6	1.6	0.9	0.2	*	*	*	*	*	6.3
	4	*	*	0.2	0.7	1.2	1.7	1.6	0.8	0.2	*	*	*	*	-	6.6
	5	*	*	0.1	0.2	0.3	0.5	0.5	0.2	0.1	*	*	*	*	-	1.8
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	0.1	0.5	1.5	2.8	4.1	3.9	2.0	0.5	0.1	*	*	*	*	15.6
52	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.5
	4	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	*	-	0.6
	5	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	-	0.4
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	*	0.1	0.2	0.4	0.5	0.3	0.1	*	*	*	*	-	1.7

* Less than 0.05 percent.

Table 17. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	-	0.3
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	*	*	0.3
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	-	-	-	-	-	-	-	*
TOTAL----		*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	-	0.5
43	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	*	*	*	*	0.7
	4	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*	*	0.5
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	-	*	*	*	-	*	-	-	-	-	-	*
TOTAL----		*	*	0.2	0.3	0.3	0.3	0.1	0.1	*	*	*	*	*	-	1.3
53	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	-	-	-	-	-	-	*
TOTAL----		*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	*	-	0.4
63	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		*	0.5	2.1	5.6	11.6	19.9	24.6	19.4	9.6	4.2	2.3	0.2	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	22.0															
Bark - Level 2	*															
Grass - Level 1	0.4															
Grass - Level 2	*															
Prep - Level 1	0.2															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

3,854,011 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.2	1.1	1.4	1.2	0.7	0.1	-	-	-	4.7
	4	-	-	-	-	*	0.1	0.3	0.5	0.4	0.2	*	-	-	-	1.5
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.3	1.5	2.0	1.6	0.9	0.1	-	-	-	6.5
31	1-2	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	-	-	-	0.5
	3	-	-	-	*	*	1.2	5.9	10.0	12.0	8.5	1.8	*	-	-	39.4
	4	-	-	-	*	*	0.7	4.6	9.1	9.6	5.0	0.9	*	-	-	29.9
	5	-	-	-	*	*	0.1	0.7	1.3	1.1	0.4	*	-	-	-	3.6
	6	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	0.1	2.0	11.3	20.6	23.0	14.0	2.8	*	-	-	73.8
41	1-2	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.5	1.1	1.5	1.1	0.2	*	-	-	4.6
	4	-	-	-	-	*	0.2	1.3	2.6	3.3	1.8	0.3	*	-	-	9.7
	5	-	-	-	-	*	0.1	0.6	1.1	1.0	0.4	*	-	-	-	3.3
	6	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-	-	-	0.7
	7	-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.5	2.5	5.1	6.1	3.4	0.6	*	-	-	18.2
51	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	0.1	*	*	*	*	-	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.2	0.2	0.1	0.1	*	*	-	-	0.7
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 18. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed through April 12, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL, ALL-----		-	-	-	*	0.1	2.9	15.6	28.3	31.1	18.5	3.5	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.5															Average Staple 34.6
Bark - Level 2	*															Percent Tenderable 72.7
Grass - Level 1	4.1															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

146,655 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- Percentage distribution of mike and fiber strength for upland cotton classed through April 12, 2001

MIKE AND FIBER STRENGTH		ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
MIKE	24 & below	*	*	-	*	-	*	-	-	*
	25	*	*	-	*	*	*	-	*	*
	26	*	*	*	*	*	*	-	*	*
	27	*	*	*	*	*	*	-	*	-
	28	0.1	0.1	*	*	*	*	*	*	*
	29	0.1	0.1	*	0.1	*	*	*	*	*
	30	0.3	0.1	*	0.1	*	*	*	0.1	*
	31	0.4	0.1	0.1	0.1	*	*	*	0.1	0.1
	32	0.8	0.2	0.1	0.2	0.1	0.1	*	0.2	0.1
	33	1.5	0.3	0.2	0.2	0.1	0.1	0.1	0.4	0.2
	34	1.8	0.3	0.3	0.3	0.2	0.2	0.1	0.5	0.3
	35	3.1	0.4	0.5	0.5	0.4	0.4	0.3	0.9	0.8
	36	3.3	0.6	0.9	0.7	0.3	0.6	0.5	1.2	1.4
	37	4.2	0.7	1.3	1.2	0.5	0.9	0.6	1.8	2.1
	38	5.3	1.0	1.9	2.1	0.8	1.4	1.0	2.5	3.1
	39	4.9	1.4	2.7	3.6	1.2	2.2	1.2	3.4	4.6
	40	5.8	1.8	3.8	5.7	1.9	3.3	2.0	4.4	6.4
	41	6.1	2.5	5.1	8.2	3.0	4.4	2.9	5.4	8.2
	42	6.3	3.3	6.4	11.1	3.9	5.9	3.9	6.6	9.6
	43	7.4	4.4	7.8	13.2	5.1	7.6	5.7	7.7	10.6
	44	7.3	5.5	9.1	12.8	5.6	9.5	7.1	8.7	10.7
	45	7.1	6.5	10.1	10.4	6.4	11.1	8.4	9.1	10.4
	46	7.3	7.7	10.9	7.9	7.8	12.0	10.2	9.2	9.2
	47	6.6	8.7	10.7	6.0	9.2	12.1	11.3	9.0	7.4
	48	6.4	9.6	9.7	4.6	12.0	10.6	12.6	8.3	5.8
	49	5.0	9.9	7.7	3.6	11.9	7.9	11.1	7.0	3.9
	50	3.6	9.3	5.2	2.7	10.4	4.9	8.5	5.4	2.5
	51	2.6	8.5	3.3	1.9	9.4	2.7	6.1	3.8	1.5
	52	1.5	7.0	1.6	1.2	6.0	1.2	3.7	2.3	0.8
	53	0.7	5.0	0.5	0.8	2.7	0.4	1.9	1.2	0.2
	54	0.4	3.0	0.2	0.4	1.0	0.2	0.5	0.5	0.1
	55	0.1	1.3	*	0.2	*	*	*	0.2	*
	56	*	0.6	*	0.1	*	*	-	*	*
	57	*	0.2	*	*	*	*	-	*	-
	58	*	*	*	*	*	*	-	*	-
	59	*	*	-	*	*	-	-	-	-
	60 & above	*	*	-	*	*	-	-	-	-
Average mike		43	47	45	44	47	45	47	45	44
FIBER STRENGTH 1/										
17 & below	17 & below	*	-	-	-	-	*	-	-	-
	18	*	*	-	-	-	*	-	-	-
	19	*	*	-	*	-	*	-	*	-
	20	*	*	*	*	*	*	-	*	-
	21	*	0.1	*	*	-	*	-	*	-
	22	0.1	0.3	*	*	*	0.2	*	0.2	*
	23	0.4	1.0	0.3	*	0.2	1.8	0.5	0.9	0.1
	24	2.4	3.3	1.5	0.2	1.3	5.7	3.2	3.7	1.1
	25	11.7	8.0	6.7	0.9	6.6	10.7	10.7	12.0	6.2
	26	25.1	13.3	18.6	2.4	17.3	15.3	22.8	26.1	19.6
	27	26.7	17.6	31.3	3.9	26.3	18.0	28.5	29.3	32.4
	28	18.9	19.6	25.7	4.7	24.5	17.9	20.1	17.5	25.7
	29	9.6	17.3	10.9	5.5	14.3	14.3	9.1	7.1	10.6
	30	3.7	11.1	3.5	8.1	6.1	9.0	3.2	2.2	3.2
	31	1.1	5.4	1.0	14.1	2.3	4.5	1.1	0.7	0.8
	32	0.2	2.1	0.3	20.3	0.7	1.8	0.4	0.2	0.2
	33	*	0.7	0.1	19.7	0.2	0.6	0.2	0.1	*
	34	*	0.2	*	12.1	0.1	0.2	*	*	*
	35	*	*	*	5.2	*	*	*	*	*
	36 & above	*	*	*	2.8	-	*	*	*	-
Average strength		27.0	27.8	27.3	31.6	27.5	27.4	27.0	26.8	27.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 19. -- Percentage distribution of mike and fiber strength for upland cotton classed through
April 12, 2001

MIKE AND FIBER STRENGTH	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE 24 & below	0.1	0.1	0.2	*	-	0.1	*	*
25	0.1	*	0.1	*	*	0.2	0.1	*
26	0.2	0.1	0.2	*	*	0.3	0.1	0.1
27	0.2	0.1	0.3	0.1	*	0.5	0.4	0.2
28	0.6	0.2	0.5	0.1	*	0.8	0.7	0.2
29	0.7	0.3	0.6	0.2	0.1	1.0	0.9	0.3
30	1.0	0.5	0.8	0.3	0.2	1.4	1.5	0.5
31	1.1	0.8	1.0	0.3	0.3	1.9	2.2	0.6
32	1.4	1.2	1.1	0.4	0.5	2.4	3.3	0.9
33	2.3	1.8	1.4	0.6	1.0	3.2	4.6	1.2
34	2.4	2.7	1.8	0.9	1.5	4.1	5.9	1.6
35	3.9	3.9	2.1	1.4	2.6	5.0	7.6	2.2
36	5.0	5.4	2.4	2.0	3.6	5.9	9.1	2.7
37	5.8	7.0	3.0	2.8	4.8	6.7	9.9	3.4
38	6.8	8.6	3.7	3.9	6.3	7.4	10.4	4.2
39	7.8	10.1	4.4	5.3	7.5	7.9	10.1	5.0
40	8.4	10.9	5.3	6.6	8.7	8.0	8.9	5.9
41	8.0	10.9	6.3	7.9	9.6	7.7	7.4	6.7
42	8.6	10.2	6.9	9.1	9.5	7.1	5.7	7.5
43	7.8	8.6	7.3	9.9	9.3	6.3	4.5	8.0
44	6.4	6.5	7.7	10.2	8.5	5.3	3.1	8.1
45	5.5	4.4	7.8	9.8	7.2	4.4	1.8	7.7
46	4.3	2.8	7.6	8.6	5.9	3.6	1.0	7.2
47	3.4	1.6	6.9	7.2	4.5	2.8	0.5	6.6
48	2.9	0.8	6.3	5.4	3.3	2.1	0.2	5.9
49	2.3	0.4	5.6	3.3	2.3	1.6	*	4.7
50	1.6	0.1	4.3	1.9	1.4	1.0	*	3.4
51	1.0	*	2.5	1.0	0.9	0.6	*	2.3
52	0.4	*	1.1	0.4	0.5	0.4	*	1.4
53	0.1	*	0.4	0.1	0.2	0.2	*	0.8
54	*	*	0.2	*	0.1	0.1	-	0.4
55	*	*	*	*	*	*	-	0.1
56	*	*	*	*	*	*	*	*
57	*	-	*	*	-	*	-	*
58	*	*	-	-	-	*	-	*
59	-	*	*	*	-	*	-	*
60 & above	-	-	-	-	-	-	-	*
Average mike	41	40	43	43	42	40	38	43
FIBER STRENGTH 1/ 17 & below	-	-	*	-	-	*	-	*
18	-	-	0.1	-	-	*	-	*
19	-	-	0.3	-	-	*	-	*
20	-	*	0.6	*	-	0.1	*	*
21	*	0.2	1.1	0.1	*	0.3	0.1	0.1
22	0.1	1.0	1.9	0.3	*	1.0	0.9	0.4
23	0.4	4.7	3.2	1.5	0.3	2.5	4.0	1.5
24	1.4	12.7	5.4	5.3	2.2	6.1	11.3	4.5
25	2.5	21.1	8.2	13.1	8.5	12.4	20.7	10.3
26	4.2	23.0	10.8	21.5	20.8	18.1	24.7	17.5
27	7.9	17.2	12.2	22.9	31.2	19.4	19.7	20.6
28	12.1	10.0	12.3	17.4	23.7	16.5	10.3	16.4
29	14.3	5.5	11.0	10.1	9.7	11.2	4.7	9.8
30	16.1	2.8	9.3	4.9	2.8	6.3	2.1	5.5
31	16.7	1.2	7.8	1.9	0.7	3.4	0.9	3.9
32	13.3	0.4	6.5	0.7	0.2	1.6	0.3	3.6
33	7.2	0.1	4.9	0.2	*	0.7	0.1	3.0
34	2.9	*	3.1	0.1	*	0.2	*	1.7
35	0.7	*	1.2	*	*	*	*	0.7
36 & above	0.1	*	0.2	*	-	*	*	0.4
Average strength	29.8	26.1	28.1	26.9	27.1	27.1	26.1	27.6

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through April 12, 2001

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA :	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
UNIFORMITY 1/									
72 & below	-	-	*	-	-	*	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	*	*	*	-
75	*	*	-	*	-	*	*	*	-
76	*	*	*	*	*	*	*	*	*
77	0.2	0.3	*	*	*	*	0.1	*	*
78	1.4	1.9	0.2	0.2	0.5	0.8	0.9	0.4	0.1
79	6.9	7.9	1.8	1.2	3.1	5.9	6.0	3.5	1.2
80	21.6	23.3	11.1	6.3	14.8	20.6	23.1	17.2	8.2
81	35.5	37.1	33.2	20.7	32.9	35.9	38.6	39.3	32.5
82	25.9	22.9	37.2	40.4	32.5	27.0	24.4	30.2	41.0
83	7.8	5.8	14.4	25.1	14.0	8.6	6.2	8.4	14.9
84	0.8	0.7	2.0	5.3	2.1	1.1	0.7	0.9	2.0
85	*	*	0.1	0.6	*	*	*	*	0.1
86	*	*	-	0.1	-	-	*	-	-
87	*	-	-	*	-	-	-	-	-
88	-	-	-	*	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.0	80.9	81.6	82.0	81.4	81.1	81.0	81.2	81.7
TRASH 2/									
0.0	0.1	0.1	*	*	*	*	0.9	*	*
0.1	9.1	25.0	2.4	20.9	4.4	0.9	15.2	5.8	2.5
0.2	22.8	34.1	19.8	37.9	18.6	12.5	25.8	24.1	19.7
0.3	25.1	20.7	30.8	23.4	26.5	26.4	23.1	28.7	32.3
0.4	18.9	9.5	23.2	11.0	22.4	25.5	15.6	20.1	24.6
0.5	11.5	4.1	12.7	4.3	14.2	16.9	9.0	11.2	12.6
0.6	6.2	2.1	6.0	1.6	7.2	9.0	4.9	5.3	5.1
0.7	3.3	1.2	2.7	0.6	3.5	4.4	2.5	2.5	1.9
0.8	1.6	0.8	1.2	0.1	1.7	2.2	1.4	1.2	0.7
0.9	0.7	0.6	0.6	0.1	0.8	1.1	0.8	0.6	0.3
1.0	0.3	0.4	0.3	*	0.3	0.5	0.4	0.3	0.1
1.1	0.2	0.3	0.2	*	0.2	0.3	0.3	0.2	0.1
1.2	0.1	0.3	0.1	*	0.1	0.2	0.2	0.1	*
1.3	0.1	0.2	*	*	*	*	*	*	*
1.4	*	0.1	*	*	*	*	*	*	*
1.5	*	0.1	*	*	*	*	*	*	*
1.6	*	0.1	*	*	*	*	*	*	*
1.7	*	0.1	*	*	-	*	*	*	*
1.8 & above	*	0.2	*	*	*	*	*	*	*
Average trash	0.35	0.27	0.37	0.25	0.38	0.42	0.32	0.35	0.36

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through April 12, 2001

UNIFORMITY AND TRASH	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/								
72 & below	-	-	-	-	-	*	-	*
73	-	-	*	-	-	*	-	*
74	-	-	*	-	-	*	-	*
75	*	-	0.2	-	-	0.1	-	*
76	*	*	1.0	*	*	0.5	-	0.1
77	0.2	*	3.0	*	*	2.2	*	0.6
78	1.5	0.9	6.6	1.0	1.6	7.1	0.6	2.3
79	5.0	6.3	12.0	6.6	7.5	16.4	4.6	7.3
80	14.8	21.9	20.2	22.9	23.0	26.1	17.7	18.9
81	27.7	37.0	26.9	33.9	38.4	27.6	34.3	32.1
82	29.2	26.2	21.1	24.7	23.7	15.4	30.3	27.0
83	17.3	6.9	7.7	9.2	5.4	4.0	10.9	9.9
84	3.9	0.7	1.2	1.6	0.4	0.4	1.4	1.5
85	0.4	*	0.1	0.1	*	*	0.1	0.1
86	*	-	-	-	-	*	-	*
87	-	-	-	-	-	*	-	*
88	-	-	-	-	-	-	-	*
89	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-
Average uniformity	81.5	81.0	80.6	81.1	80.9	80.3	81.3	81.1
TRASH 2/								
0.0	0.1	-	0.1	-	*	*	-	0.1
0.1	19.5	0.3	32.6	1.9	3.8	11.6	0.1	9.4
0.2	27.3	6.0	26.4	15.5	21.8	21.9	2.9	22.2
0.3	16.9	18.5	13.5	27.4	30.2	19.5	12.9	23.9
0.4	10.3	23.9	9.0	24.6	22.3	15.7	21.4	18.4
0.5	7.3	20.1	6.5	15.2	12.1	11.5	22.2	11.6
0.6	5.4	13.1	4.3	7.7	5.5	7.5	16.4	6.5
0.7	4.1	7.6	2.8	3.7	2.3	4.8	10.4	3.5
0.8	3.1	4.2	1.7	1.8	1.0	2.9	5.9	1.9
0.9	2.2	2.4	1.1	1.0	0.5	1.8	3.3	1.1
1.0	1.5	1.4	0.7	0.5	0.2	1.1	1.9	0.6
1.1	1.0	0.8	0.4	0.3	0.1	0.7	1.2	0.4
1.2	0.6	0.5	0.3	0.2	0.1	0.4	0.7	0.2
1.3	0.2	0.3	0.2	0.1	*	0.3	0.3	0.1
1.4	0.2	0.2	0.1	0.1	*	0.2	0.2	0.1
1.5	0.1	0.1	0.1	*	*	0.1	0.1	*
1.6	0.1	0.1	*	*	*	0.1	0.1	*
1.7	*	0.1	*	*	*	*	*	*
1.8 & above	0.1	0.2	0.1	*	*	0.1	0.1	*
Average trash	0.35	0.50	0.29	0.40	0.35	0.39	0.54	0.36

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of grade, staple, mike and strength of *American Pima* cotton, by state and U.S. for classings through April 12, 2001

Grade, staple and mike	State				United States
	Arizona	California	New Mexico	Texas	
Grade					
01	15.0	14.6	0.8	2.3	13.5
02	52.0	70.6	53.3	43.9	67.9
03	28.4	12.4	40.0	45.7	15.7
04	4.0	2.0	5.6	7.4	2.5
05	0.4	0.3	0.4	0.7	0.3
06	0.2	*	-	0.1	*
07	0.1	*	-	*	*
Staple					
40 and shorter	-	-	-	*	*
42	*	*	0.1	0.9	0.1
44	36.4	17.0	23.1	38.9	19.2
46	52.9	69.9	54.4	56.4	68.3
48 and longer	10.7	13.1	22.4	3.9	12.4
Average staple	45.5	45.9	46.0	45.3	45.7
Mike					
24 and below	-	-	-	-	-
25-26	*	*	-	-	*
27-29	0.3	0.7	0.1	0.3	0.7
30-32	1.6	2.7	1.0	1.4	2.6
33-34	3.0	2.3	2.6	2.7	2.3
35-36	8.5	3.4	9.7	6.6	3.8
37-42	71.5	65.0	61.4	55.1	64.3
43-49	15.1	25.8	25.2	34.1	26.2
50-52	-	*	-	-	*
53 and above	-	-	-	-	-
Average mike	40	41	40	41	41
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	*	-	*
30	-	*	-	*	*
31	-	*	-	*	*
32	-	*	0.1	*	*
33	0.1	0.1	0.9	0.3	0.1
34	0.9	0.3	3.7	1.0	0.4
35	2.3	0.7	6.7	3.0	1.0
36	5.8	1.7	10.2	7.6	2.3
37	9.6	4.1	12.2	16.2	5.3
38	14.4	9.1	13.8	24.3	10.5
39	19.7	16.3	13.5	21.3	16.8
40	17.6	21.2	11.8	12.8	20.3
41	14.6	20.9	9.8	8.5	19.7
42	7.2	14.2	7.4	3.5	13.1
43	3.8	7.6	5.4	0.9	7.0
44	0.8	3.2	2.8	0.5	2.9
45 & above	0.4	0.1	-	0.2	0.1
Average strength	39.4	40.3	38.8	38.5	39.3
Extraneous matter					
Grass	0.8	0.7	2.6	0.8	0.8
Spindle Twist	0.1	0.1	0.2	*	0.1
Preparation	-	0.9	-	*	0.8

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.

BALES CLASSED

Arizona	7,262
California	332,316
New Mexico	4,441
Texas	30,119
United States	374,138

